

IMAS-THIRAM 80

SERBUK BANCUH (WP)

RACUN KULAT / FUNGICIDE / 殺菌劑

IMAS-THIRAM 80



No. Pendaftaran :
LRMP. R1/3158

Kandungan Bersih :
1 kg

Tarikh Mengilang :

DIRECTIONS FOR USE

Crop	Disease	Rate		Application Method
		18 liters water	Per Hectare	
Oil Palm (Nursery stage)	seeding blight	36 g	1.8 kg	Spray at onset of disease at weekly intervals.
	leaf spot	36 g	1.8 kg	Remove diseased parts and spray at weekly intervals.
	crown rot			Soak the plant into solution of 9 g/18 liters water for 1/2 hour. Then spray at 36 g/18 liters water. For young seedlings, spray at 9 g/18 liters water at 4 days intervals.
Turf	brown patch, damping off	36 g	1.8 kg	Spray at onset of disease at 5 liters / 10 m ² at weekly intervals.
Seed of vegetables, corn & ornamentals	damping off	36 g	1.8 kg	Dip seeds into solution 5 - 10 minutes before planting.

Didaftarkan oleh :



IMASPRO RESOURCES SDN. BHD. (100955-M)

37A, Jalan 5, Kaw. 16, Taman Intan, 41300 Klang, Selangor.
Tel : 03 - 3343 1633

BERBAHAYA
JAUHKAN DARIPADA
MAKANAN DAN KANAK-KANAK

KELAS III

HARMFUL
KEEP AWAY FROM
FOODSTUFF AND CHILDREN